

SAFETY DATA SHEET

Page 1 of 5

Test inks pink 30 mN/m - Art.-No. 40.60000.0
according to 91/155 EEC and 93/112 EC reviewed on: 01.08.2003

1. Name of substance, preparation and company

Commercial name of the product:	TEST INKS pink 30 mN/m
Use of the substance / of the preparation	Printing inks
Manufacturer/supplier:	arcotest GmbH Rotweg 25, D-71297 Mönsheim
Contact for information:	Mrs. Anke Krombach phone: +49 (0) 7044-902270 fax : +49 (0) 7044-902269

2. Chemical analysis/information about the ingredients

Chemical characterisation
Identification number(s):
EINECS-number: 203-489-0
EC-Number: 603-053-00-3

Description: Preparation of solvents and one colouring agent

3. Possible hazards

Hazard designation: Xi Irritating substances

Information pertaining to particular hazards for man and environment:
R 36/38 Irritating for eyes and skin.

4. First aid measures

General information:

When any symptoms are appearing or in all cases of doubt seek medical advice.
Never give anything by mouth to an unconscious person.

After skin contact: Remove contaminated clothing.
Wash skin thoroughly with soap and water or use recognized skin cleanser.
Do not use solvents or thinners.

After eye contact: Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Remove contact lenses.
Seek medical advice.

After inhalation: Remove to fresh air.
Keep patient warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.
If unconscious place in recovery position and seek medical advice.

After swallowing: If accidentally swallowed obtain immediate medical attention.
Keep at rest.
Do not induce vomiting.

5. Fire fighting measures

Suitable extinguishing agents: Foam (alcohol resistant), CO₂, powders, water spray
Extinguishing agents Full water jet
unsuitable for safety reasons:

SAFETY DATA SHEET

Page 2 of 5

Test inks pink 30 mN/m - Art.-No. 40.60000.0
according to 91/155 EEC and 93/112 EC reviewed on: 01.08.2003

Special hazards caused by the substance, its products of combustion or flue gases:

Fire will produce dense black smoke.

Exposure to hazardous decomposition products may cause a health hazard.

Suitable respiratory protective equipment independent from ambient air may be required.

Cool closed containers exposed to fire with water spray.

Additional information: Collect run-off from fire fighting.

6. Accidental release measures

Person-related safety precautions:

Ensure supply of fresh air.

Observe the safety instructions in section 7 and 8.

Environmental-protection measures:

Do not allow to enter sewerage system. If the product contaminates rivers, lakes or the canalisation inform the respective authorities according to local regulations.

Measures for cleaning / collecting:

Collect spillage with liquid-absorbent material (e.g. sand, diatomaceous earth, vermiculite) and place in containers for disposal according to local regulations.

Clean preferably with a detergent.

Avoid use of solvents.

7. Handling and storage

Handling:

Information for safe handling:

Avoid skin and eye contact.

Do not eat, drink and smoke while working in application area.

For personal protective equipment see section 8.

Comply with statutory health and safety regulation.

Storage:

Requirements to be met by storerooms and containers:

Keep containers tightly closed. Smoking prohibited.

Close carefully open container and store it upright in order to avoid any leakage.

Further information about storage conditions:

Always keep in containers of the same material as the original one.

Store at a dry, well ventilated place.

Keep away from heat and direct sunlight.

Observe label precautions.

Store in accordance with the particular national regulations concerning water pollution (WHG) and the regional regulations concerning storage of water hazardous substances (VawS).

8. Exposure controls and personal protection

Additional information about the design of technical systems: provide for a good ventilation.

Components with critical values that require monitoring at the workplace:

(Numerical data – if specified – are taken from the valid national lists (such as TRGS 900 for Germany)).

107-41-5 2-methyl-2,4-pentanediol (80 – 100 %)

MAK (max. workplace concentration): 125 mg/m³
NL

SAFETY DATA SHEET

Page 3 of 5

Test inks pink 30 mN/m - Art.-No. 40.60000.0
according to 91/155 EEC and 93/112 EC reviewed on: 01.08.2003

Personal protective equipment:

Respiratory protective equipment:

If the occupational exposure limits can't be met due to the technical measures, suitable respiratory protective equipment should be worn only for a short period of time.

Protection of hands:

For prolonged or repeated contact use protective gloves.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

The gloves material must be impermeable and resistant to the product / the preparation.

Due to missing tests it is not possible to recommend a certain gloves material for the work with the preparation.

Selection of the gloves material with regard to the penetration time, the permeability ratio and the degradation.

Gloves material

The selection of suitable gloves is not only dependent on the material, but also on further quality characteristics which are different from manufacturer to manufacturer. In view of the fact that the product is a preparation consisting of different substances, the durability of the gloves materials cannot be calculated in advance and, accordingly, must be controlled before the use.

Permeability time of the gloves material

The exact penetration time can be checked with the manufacturer of the protective gloves and has to be respected.

Protection of eyes:

Use safety eyewear designed to protect against splash of liquids.

Body protection:

The skin should be washed after contact.

Working clothes must not consist of textiles which show a dangerous melting behaviour in case of fire.

9. Physical and chemical properties

Form:	fluid
Colour:	colourless to yellowish
Odour:	characteristic

Change in condition

Melting point/melting range: -50°C

Boiling point/Boiling range: 198°C

Flash point: 65°C

Ignition temperature: 260°C

Critical value for explosion

Lower value: 1 Vol.%

Upper value: 9,9 Vol.%

Steam pressure at 20°C 0,065 hPa

Density: (approx. values) at 20°C 0,922 g/ cm³

10. Stability and reactivity

Thermal decomposition / conditions to be avoided:

Stable under recommended storage and handling conditions (see section 7).

Materials to be avoided:

Keep away from oxidizing agents, strongly acid and strongly alkaline materials in order to avoid exothermic reactions.

SAFETY DATA SHEET

Page 4 of 5

Test inks pink 30 mN/m - Art.-No. 40.60000.0
according to 91/155 EEC and 93/112 EC reviewed on: 01.08.2003

11. Toxicological information

The preparation is classified according to the conventional method (calculation method of the regulation concerning hazardous substances resp. of the EEC-Directive 88/379/EEC).
Repeated or prolonged contact with the product may cause removal of natural fat from the skin which can cause a drying-out of the skin and irritations.
The liquid splashed in the eyes may cause irritation and reversible damage.

Acute toxicity:

LD50 (oral rat): 4000 mg/kg

LD50 (dermal, rabbit): 13000 mg/kg

12. Ecological information

The product may not enter waters, sewerage systems and soil.

13. Disposal considerations

Product:

Recommendation: Do not allow to enter sewerage systems

European waste products catalogue

08 03 12 printing inks waste products which contain hazardous substances

Uncleaned packaging:

Recommendation: Not emptied containers and ink residues are hazardous waste.

Emptied containers should be supplied to scrap utilisation resp. recycling.

14. Transport information

The product is not subject to transport regulations for dangerous goods.

Maritime transport IMDG/GGVSea:

Marine pollutant: No

15. Regulatory information

Designation according to EEC guidelines:

Code letter and hazard designation of the product:

Xi **Irritating substances**

R-phrases:

36/38 Irritating for eyes and skin.

S- phrases:

26 After eye contact immediately irrigate thoroughly with plenty of water and seek medical advice.
29/35 Do not allow to enter sewerage system; waste products and containers have to be eliminated in a safe way.
37 Use suitable protective gloves.

SAFETY DATA SHEET

Page 5 of 5

Test inks pink 30 mN/m - Art.-No. 40.60000.0
according to 91/155 EEC and 93/112 EC reviewed on: 01.08.2003

National regulations:

Classification according to VbF: not applicable.

Water pollution class:

Water pollution class 1: slightly polluting (according to annex 4 VwVwS)

16. Other information

The information of this safety data sheet is based on the present state of our knowledge and corresponds to the valid EU and national laws.

It is always the responsibility of the user to take all necessary steps in order to fulfil the demands laid down in the local rules and legislation.

The information in this safety data sheet is meant as a description of safety requirements of our product; it is not to be considered as a guarantee of the product's properties.